

InVigor® R 5520P has established itself as a Roundup Ready® hybrid variety with high yield potential in medium to higher rainfall zones. Combine this with outstanding harvest timing flexibility, it's not surprising this variety is such an irresistible choice.

### So why choose InVigor R 5520P?

- A clear choice for higher rainfall areas.
- Benefit from the PodGuard® Paddock Advantage, with an average yield boost of 13%\* in 2016.
- Mid maturity with an extended harvest window.
- Windrow or direct-head later, achieving maximum pod fill.

### Plus, enjoy all the MySeed program benefits:



## Pay@Harvest


Sow and grow this top performing InVigor variety and don't pay a cent until Nov. 30, 2019. See your agent or visit myseed.com.au



# **Replace MySeed**<sup>™</sup>

Our seed replacement guarantee\*\* to help you offset risk in your program.

### **VARIETY PROFILE**










Flowering maturity:	Mid
Blackleg rating:	R (with Jockey® Stayer®) MR (with EverGol® Xtend)
Blackleg grouping:	AC
Alternative to:	44Y27, 45Y28, GT53, Hyola 506, 45Y25
Yield range:	2-4 t/ha
Vigour:	High
Oil:	High
Plant height:	Medium – ideal for direct harvesting
Lodging resistance:	Good
PodGuard®:	Yes

#### **IDEAL GROWING AREAS**



#### SEED TREATMENT OPTIONS



Available with either:

Jockey Stayer or

**EverG** 





<sup>\*\*</sup> Terms and conditions apply. Visit myseed.com.au for details.




### **Higher yields with lower risk**

A variety combining high yields and the PodGuard trait is very difficult to beat. InVigor R 5520P has produced excellent results in NVT trials with standard harvest timings – and even better with a longer one. PodGuard shifts the balance of risk so you can confidently leave your crop growing longer and gaining yield until you are ready to harvest.

# Consistent NVT results in contrasting conditions


InVigor R 5520P matches top yields over two very different seasons.

2015 data from all 11 NVT sites where all varieties were grown: Cootamundra, Gerogery, Grenfell, Hamilton, Kojonup, Lockhart, Neuarpurr, Parkes, Stirlings South, Wunghnu and Yarrawonga. Average site mean = 2.31 t/ha 2016 data from all 16 NVT sites where all varieties were grown: Charlton, Cootamundra, Diggora, Gerogery, Grenfell, Hamilton, Inverleigh, Kaniva, Kojonup, Lake Bolac, Lockhart, Minyip, Munglinup, Temora, Wunghnu and Yarrawonga. Average site mean = 2.98 t/ha.



### PodGuard reduces the risks so you can harvest later

The 2016 BCG/Bayer (now BASF Seeds) trial showed how PodGuard tips the balance of risk versus reward in canola harvesting. The two varieties had comparable yields when desiccated at 50% colour change, and comparable gains when not desiccated. The difference? Letting 45Y25 go on maturing resulted in losing a tonne per hectare to shattering – InVigor R 5520P lost a fraction of that.



## myseed.com.au

BASF Australia Ltd. ABN 62 008 437 867. Level 12, 28 Freshwater Place, Southbank, Vic 3006.

The information and recommendations set out in this document are based on tests and data believed to be reliable at the time of publication. Results may vary, as the use and application of the products is beyond our control and may be subject to climatic, geographical or biological variables and/or developed resistance. Any product referred to in this document must be used strictly as directed, and in accordance with all instructions appearing on the label for that product and in other applicable reference material. So far as lawfully able to do so. BASF accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.





## Canola without the compromises

Without the additional security and flexibility provided by PodGuard, growing and – especially – harvesting canola involves compromises at every stage. Windrowing and harvest timings are largely dictated by the risk of yield loss through pod shatter, meaning canola is often harvested before it reaches its peak potential.

## PodGuard changes the whole equation.

With such a low risk and incidence of shattering, growers have the freedom to:



Plant additional canola with more time to harvest



Harvest more valuable crops first



Worry less about the threat of extreme weather



Wait until up to 90% colour change to windrow



Allow time for the whole paddock to mature




Direct-head rather than windrow



Enjoy the PodGuard Paddock Advantage



Rely on the pods being very secure



# In the paddock, PodGuard provided 13%\* additional yield in 2016. Here's why.

While some level of 'routine' pod shattering occurs in nearly all canola crops, it often goes unnoticed. Pod shatter occurs:



When ripe pods over-mature while you harvest other crops.



During the windrowing process.



When part of a paddock matures more quickly than the rest.



During harvesting, whether direct-heading or picking up windrows.

Variety trials are normally desiccated and harvested at 'safe' timings that suit shattering varieties but are typically too early to show the full advantages of PodGuard.

In 2016, we collected data from growers that showed an average difference between NVT results and the commercial crop yields of PodGuard varieties of +13%.

This additional yield provided by a reduced prevalence of pod shatter has been termed the 'PodGuard Paddock Advantage'.

# The PodGuard Paddock Advantage at a glance



<sup>\*</sup> In both years, paddock demonstration trials involving PodGuard varieties – 26 trials including IH51RR in 2015, 19 trials including both IH51RR & InVigor R 5520P in 2016 – were compared with NVT results in the same parts of Australia involving these PodGuard lines versus competitor lines. The results confirmed the anecdotal evidence that yields for PodGuard varieties improve in the paddock compared to small plot variety trials.